

## Comp Door French Door Minimum and Maximum Sizes V1

### Min/Max Width- Equal Split

This document is to provide minimum and maximum sizes for each set of French Doors we offer. Both equal split and offset. The minimum and maximum width will be explained and the minimum and maximum height. At Comp Door we have 2 minimum widths and 1 maximum width set up. This depends on the style of French door available.

### Minimum Widths including the Liniar outer frame are as follows:

1608mm Including Outerframe and French Door Seal- This is calculated by adding two lots of 740mm, plus 123mm and 5mm for the French door seal.

1328mm Including Outerframe and French Door Seal- This is calculated by adding two lots of 600mm, plus 123mm and 5mm for the French door seal.

### Maximum Width including the Liniar outer frame is:

1948mm Including Outerframe and French Door Seal- This is Calculated by adding two lots of 740mm, plus 123mm and 5mm for the French door seal.

1608mm Min Width	
Whitmore	Hatton
Elmhurst	Fife
Highbury	Clifton
Middleton 2, 4	Sussex
Winslow 1, 3	Sutherland
Buxton	Kent
Grafton	Westminster
Aston	Wellington
Walcot	Bedford
Harlington	Cambridge
Axwell	

1328mm Min Width
Brampton
Cornwall
Richmond
Somerset
Mowbray
Abercorn
Montrose
York
Rutland
Hamilton
Norfolk
Gloucester



**Min Frame Width- 1608mm**

**Max Frame Width- 1948mm**

Door Styles Include:

- Whitmore
- Buxton
- Elmhurst
- Grafton
- Highbury
- Aston
- Middleton
- Walcot
- Winslow
- Harlington
- Axwell

**Min Frame Width- 1608mm**

**Max Frame Width- 1948mm**

Door Styles Include:

- Hatton
- Fife
- Clifton
- Sussex
- Sutherland
- Kent
- Bedford
- Westminster
- Wellington
- Cambridge



**Min Frame Width- 1328mm**

**Max Frame Width- 1948mm**

Door Styles Include:

- York
- Rutland
- Hamilton
- Norfolk
- Gloucester
- Montrose

**Min Frame Width- 1328mm**

**Max Frame Width- 1948mm**

Door Styles Include:

- Brampton
- Cornwall
- Richmond
- Somerset
- Mowbray
- Abercorn



### Min/Max Height- Equal Split and Offset


With our equal split and offset French Doors, we have 3 minimum heights and 3 maximum heights including the three threshold options we offer. Std PVC Threshold, Low PVC Threshold, and the Low Aluminium Threshold option.

Minimum Height's dependant on Threshold required:

- STD PVC Threshold= **2023mm Including Outerframe**
- Low PVC Threshold= **1993mm Including Outerframe**
- AM3/AM3-70, AM5-EX & AM5-EX70 Threshold= **1981mm Including Outerframe**

Maximum Height's dependant on Threshold required:

- STD PVC Threshold= **2183mm Including Outerframe**
- Low PVC Threshold= **2153mm Including Outerframe**
- AM3/AM3-70, AM5-EX & AM5-EX70 Threshold= **2141mm Including Outerframe**



**Min Frame Height:**  
 STD PVC- 2023mm  
 Low PVC- 1993mm  
 Low Ali- 1981mm

**Max Frame Height:**  
 STD PVC- 2183mm  
 Low PVC- 2153mm  
 Low Ali- 2141mm

Please Note if a cill is required, please add another 30mm on the above six sizes.

1981mm Min/2183mm Max		
Whitmore	Elmhurst	Highbury
Middleton	Winslow	Buxton
Grafton	Aston	Walcot
Harlington	Axwell	Hatton
Fife	Clifton	Sussex
Sutherland	Kent	Westminster
Wellington	Bedford	Cambridge
Brampton	Cornwall	Richmond

### **Min/Max Width- Offset French Doors**

With our offset French Doors there are a couple of different min/max widths that we worked towards when manufacturing. An offset French door is used when overall sizes are not wide enough for an equal split French Door however, customers still want two opening doors for their aperture.

### **Master Door-**

There are two minimum widths for the Master door on an offset layout. This depends on Door style.

The first minimum is 802mm including one leg of the Outerframe.

The second minimum is 662mm including one leg of the Outerframe.

### **802mm Min Door Styles:**

Whitmore Elmhurst Highbury Middleton Winslow Buxton Grafton Aston Walcot Harlington Axwell Hatton Fife Clifton Sussex Sutherland Kent Westminster Wellington Bedford

### **662mm Min Door Styles:**

Brampton Cornwall Richmond Somerset Mowbray Abercorn Montrose York Rutland Hamilton Norfolk Gloucester

### **Maximum Width Master Door:**

There is one maximum width for the master door which is 971mm including one leg of the Outerframe. This width is used for all door styles.

### **Slave Door-**

There is one minimum width when quoting and order offset French Doors. This is 461mm including one leg of the Outerframe. This width is required on the following door styles:

### **461mm Min Door Styles:**

Whitmore Elmhurst Highbury Middleton Aston Sussex Rutland Sutherland Brampton Somerset Mowbray Abercorn Montrose York Hamilton Norfolk Gloucester

There is one maximum width for the Slave Door. This is 521mm including one leg of the Outerframe. This width is required on the following door styles:

**521mm Max Door Styles:**

Whitmore Elmhurst Highbury Middleton Aston.

**522mm-961mm Max Door Styles:**

Sussex Rutland Brampton Somerset Mowbray Abercorn Montrose York Hamilton Norfolk Gloucester



**Whitmore, Elmhurst, Highbury,  
Middleton & Aston Offset French Door**

Master Min- 802mm

Master Max-971mm

Slave Min- 461mm

Slave Max- 521mm



**Sussex, Rutland, Brampton, Somerset,  
Mowbray, Abercorn, Montrose, York,  
Hamilton, Norfolk, Gloucester French Door**

Master Min- 662mm

Master Max- 971mm

Slave Min- 461mm

Slave Max- 961mm