

**Comp Door Minimum and Maximum Sheet**

This section is to provide the minimum and maximum sizes for each individual door style. The first section is to show the minimum and maximum width for our door styles. At Comp Door, we have 2 minimum widths and 1 maximum width set up. Which enables us to cut the doors down to size within the relevant parameters. The two minimum widths setup are:

- 863mm including the outer frame measurement (**740mm slab width**)
- 723mm including the outer frame measurement (**600mm slab width**)

The one maximum width is:

- 1033mm including the outer frame measurement (**910mm slab width**)

<b>863mm Frame Width (740mm Slab Width)</b>
Whitmore
Elmhurst
Highbury
Middleton 2, 4
Winslow 1, 3
Buxton
Grafton
Aston
Walcot
Harlington
Axwell
Hatton
Fife
Clifton
Sussex
Sutherland
Kent
Westminster
Wellington
Bedford
Cambridge

<b>723mm Frame Width (600mm Slab Width)</b>
Brampton
Cornwall
Richmond
Somerset
Mowbray
Abercorn
Montrose
York
Rutland
Hamilton
Norfolk
Gloucester

**863mm Frame Width Minimum (740mm Slab Width), 1033mm Frame Width Maximum (910mm Slab Width)**

**Whitmore/Elmhurst/Highbury**

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

**Middleton 2, 4 & Solid**

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

**Winslow 1, 3 & Solid**

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

**Buxton**

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

**Grafton**

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

**Aston**

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

**Walcot**

Minimum Width including the Outer Frame is 863mm

Maximum Width Including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

**Key**

● Slab Width

● Frame Width

**863mm Frame Width Minimum (740mm Slab Width), 1033mm Frame Width Maximum (910mm Slab Width)**

**Harlington**

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm

**Axwell**



Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm

**Hatton**



Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm

**Fife**



Minimum Slab Width is 740mm

Minimum Slab Width is 740mm

Minimum Slab Width is 740mm

Minimum Slab Width is 740mm

**Clifton**

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm

**Sussex**



Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm

**Sutherland**



Minimum Slab Width is 740mm

Minimum Slab Width is 740mm

Minimum Slab Width is 740mm

**Key**

 **Slab Width**

 **Frame Width**

**863mm Frame Width Minimum (740mm Slab Width), 1033mm Frame Width Maximum (910mm Slab Width)**

**Kent**

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

**Westminster**

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

**Wellington**

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

**Bedford**

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

**Cambridge**

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

**Key**

-  Slab Width
-  Frame Width

**723mm Frame Width Minimum (600mm Slab Width), 1033mm Frame Width Maximum (910mm Slab Width)**

**Brampton**

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



**Cornwall**

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



**Richmond**

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



**Somerset**

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 600mm

Minimum Slab Width is 600mm

Minimum Slab Width is 600mm

Minimum Slab Width is 600mm

**Mowbray**

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 600mm

**Abercorn**

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 600mm

**Montrose**

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 600mm

**Key**

- Slab Width
- Frame Width

**723mm Frame Width Minimum (600mm Slab Width), 1033mm Frame Width Maximum (910mm Slab Width)**

**York**

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm




Minimum Slab Width is 600mm

**Rutland**

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 600mm

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 600mm

**Norfolk**

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 600mm

**Gloucester**

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 600mm

**Key**

● Slab Width

● Frame Width

### **Minimum and Maximum Heights**

The second section shows the Minimum and the Maximum Height for each individual door style. There are a few variations to the Minimum and Maximum height, and they depend on the specification of the door. For example, the threshold options will alter the minimum and maximum height as well as if a cill is needed also.

#### **The Minimum Heights are as follows:**

- Minimum Height with a Standard PVC Threshold is 1973mm no Cill. If a Cill is required, then the minimum height would be increased by 30mm to 2003mm. This is due to the upstand of the door cill being 30mm. **(Minimum Slab Height is 1850mm)**
- Minimum Height with an Aluminium Threshold is 1931mm no Cill. If a Cill is required, then the minimum height would be increased by 30mm to 1961mm. This is due to the upstand of the door cill being 30mm. **(Minimum Slab Height is 1850mm)**

#### **The Maximum Heights are as follows:**

- Maximum Height with a Standard PVC Threshold is 2183mm no Cill. If a Cill is required, then the maximum height would be increased by 30mm to 2213mm. This is due to the upstand of the door cill being 30mm. **(Maximum Slab Height is 2060mm)**
- Maximum Height with an Aluminium Threshold is 2141mm no Cill. If a Cill is required, then the maximum height would be increased by 30mm to 2171mm. This is due to the upstand of the door cill being 30mm. **(Maximum Slab height is 2060mm)**

<b>CompDoor Specification</b>	<b>Minimum Height</b>	<b>Maximum Height</b>
Standard PVC Threshold- No Cill	1973mm	2183mm
Standard PVC Threshold- With a Cill	2003mm	2213mm
Aluminium Threshold- No Cill	1931mm	2141mm
Aluminium Threshold- With a Cill	1961mm	2171mm

**Minimum & Maximum Height- Including Slab Height**



**Whitmore/Elmhurst/Highbury**

**Middleton 2, 4 & Solid**

**Winslow 1, 3 & Solid**

**Buxton**

**Aston**

<b>Door Style</b>	<b>Min Height STD PVC</b>	<b>Max Height STD PVC</b>	<b>Min Height Ali Thres.</b>	<b>Max Height Ali Thres.</b>	<b>Min Slab Height</b>	<b>Max Slab Height</b>
<b>Whitmore</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Elmhurst</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Highbury</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Middleton 2, 4 &amp; Solid</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Winslow 1, 3 &amp; Solid</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Buxton</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Aston</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm

**“Please note if a cill is required this will increase the minimum/maximum height by 30mm. For example- Minimum height STD PVC with a cill is 2003mm”**





**Grafton**



**Walcot**



**Harlington**



**Axwell**



**Hatton**

<b>Door Style</b>	<b>Min Height STD PVC</b>	<b>Max Height STD PVC</b>	<b>Min Height Ali Thres.</b>	<b>Max Height Ali Thres.</b>	<b>Min Slab Height</b>	<b>Max Slab Height</b>
<b>Grafton</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Walcot</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Harlington</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Axwell</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Hatton</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm

***“Please note if a cill is required this will increase the minimum/maximum height by 30mm. For example- Minimum height STD PVC with a cill is 2003mm”***



**Fife**



**Clifton**



**Sussex**



**Sutherland**



**Kent**

<b>Door Style</b>	<b>Min Height STD PVC</b>	<b>Max Height STD PVC</b>	<b>Min Height Ali Thres.</b>	<b>Max Height Ali Thres.</b>	<b>Min Slab Height</b>	<b>Max Slab Height</b>
<b>Fife</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Clifton</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Sussex</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Sutherland</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Kent</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm

***“Please note if a cill is required this will increase the minimum/maximum height by 30mm. For example- Minimum height STD PVC with a cill is 2003mm”***



**Westminster**

**Wellington**

**Bedford**

**Cambridge**

**Brampton**

<b>Door Style</b>	<b>Min Height STD PVC</b>	<b>Max Height STD PVC</b>	<b>Min Height Ali Thres.</b>	<b>Max Height Ali Thres.</b>	<b>Min Slab Height</b>	<b>Max Slab Height</b>
<b>Westminster</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Wellington</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Bedford</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Cambridge</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Brampton</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm

**“Please note if a cill is required this will increase the minimum/maximum height by 30mm. For example- Minimum height STD PVC with a cill is 2003mm”**



**Cornwall**

**Richmond**



**Somerset**

**Mowbray**

**Abercorn**

<b>Door Style</b>	<b>Min Height STD PVC</b>	<b>Max Height STD PVC</b>	<b>Min Height Ali Thres.</b>	<b>Max Height Ali Thres.</b>	<b>Min Slab Height</b>	<b>Max Slab Height</b>
<b>Cornwall</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Richmond</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Somerset</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Mowbray</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Abercorn</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm

**“Please note if a cill is required this will increase the minimum/maximum height by 30mm. For example- Minimum height STD PVC with a cill is 2003mm”**


**Montrose**
**York**
**Rutland**
**Hamilton**
**Norfolk/Gloucester**

<b>Door Style</b>	<b>Min Height STD PVC</b>	<b>Max Height STD PVC</b>	<b>Min Height Ali Thres.</b>	<b>Max Height Ali Thres.</b>	<b>Min Slab Height</b>	<b>Max Slab Height</b>
<b>Montrose</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>York</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Rutland</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Hamilton</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Norfolk</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm
<b>Gloucester</b>	1973mm	2183mm	1931mm	2141mm	1850mm	2060mm

***“Please note if a cill is required this will increase the minimum/maximum height by 30mm. For example- Minimum height STD PVC with a cill is 2003mm”***